

Schlösser Möller Kulde A/S Postboks 65 Bryn 0611 Oslo  Norway	Your order B115517	
	Our reference 131128	Packing slip / Date PS534852 27.3.2020
	Your reference Lasse Djupvik	

Item	Product , Grade and Size			
001	Cupori 221 Kylkopparrör CO2 EN 12735-1 Cu-DHP R290 1 3/8 (34,93x2,30 mm) x 5 m	632.40	Kg	PU703325.9
		300.00	M	
002	Cupori 221 Kylkopparrör CO2 EN 12735-1 Cu-DHP R290 1 1/8(28,57x1,90 mm) x 5 m	640.80	Kg	PU703325.8
		450.00	M	
003	Cupori 221 Kylkopparrör CO2 EN 12735-1 Cu-DHP R290 7/8 (22,23x1,50 mm) x 5 m	305.90	Kg	PU703325.7
		350.00	M	
004	Cupori 221 Kylkopparrör CO2 EN 12735-1 Cu-DHP R290 3/4 (19,05x1,3 mm) x 5 m	324.00	Kg	PU703271.25
		500.00	M	

According to: EN 12735-1

Mechanical properties

Item	Tensile strength R <sub>m</sub> N/mm <sup>2</sup>	0.2 % proof strength R <sub>p0.2</sub> N/mm <sup>2</sup>	Elongation %		Hardness	Grain size mm
001	426	397	A5	8		
002	444	419	A5	9		
003	459	433	A5	11		
004	463	430	A5	11		

Chemical composition %  
 Cu-DHP/CW024A  
 Cu min 99,90  
 P 0,03

EDDY CURRENT TESTED:100%

Electrical conductivity at 20 ° C % IACS (mass), annealed

We hereby certify, that the material described above complies with the order.



Essi Tuovinen

This document has been printed out through electrical mail.  
 A copy with original signature is available in our factory.

These products have been produced under a certified Quality System  
 ISO 9001: 2015 / DNV Certificate No.80561-2010-AQ-FIN-FINAS

Cupori Oy

P.O. Box 60, FIN-28101, Pori, Finland  
 Tel. +358 2 511 4111, Fax +358 2 511 4002  
 Domicile: Pori, Finland. Business ID 2639859-8, VAT FI26398598

Schlösser Möller Kulde A/S Postboks 65 Bryn 0611 Oslo  Norway	Your order B115517	
	Our reference 131128	Packing slip / Date PS534852 27.3.2020
	Your reference Lasse Djupvik	

Item 005	Product , Grade and Size Cupori 221 Kylkopparrör CO2 EN 12735-1 Cu-DHP R290 5/8 (15,88x1,1 mm) x 5 m	319.90 Kg 700.00 M	PU703325.6
-------------	---	-----------------------	------------

According to: EN 12735-1

Mechanical properties

Item	Tensile strength R <sub>m</sub> N/mm <sup>2</sup>	0.2 % proof strength R <sub>p0.2</sub> N/mm <sup>2</sup>	Elongation %	Hardness	Grain size mm
005	470	440	A5 8		

Chemical composition %  
 Cu-DHP/CW024A  
 Cu min 99,90  
 P 0,03

EDDY CURRENT TESTED:100%

Electrical conductivity at 20 ° C % IACS (mass), annealed

We hereby certify, that the material described above complies with the order.



Essi Tuovinen

This document has been printed out through electrical mail.  
 A copy with original signature is available in our factory.

These products have been produced under a certified Quality System  
 ISO 9001: 2015 / DNV Certificate No.80561-2010-AQ-FIN-FINAS

Cupori Oy

P.O. Box 60, FIN-28101, Pori, Finland  
 Tel. +358 2 511 4111, Fax +358 2 511 4002  
 Domicile: Pori, Finland. Business ID 2639859-8, VAT FI26398598